

OUR STORY	07
SUPER TRADITIONAL	0.8
IN-CUP QUALITY	10
MILK TECHNOLOGY	
	12
CONNECTIVITY	14
MODULARITY	16
DESIGN PHILOSOPHY	18
CAMEO SERIES	20
DESIGN DETAILS	24
TECHNICAL DATA	26
ACCESSORIES	32
ENIGMA SERIES	34
DESIGN DETAILS	40
TECHNICAL DATA	42
WORLD PRESENCE	66

OUR STORY

Created in 2009, Eversys has, after a sustained period of significant growth, now moved into a brand - new factory based in Sierre, Switzerland. This should form the cornerstone of Eversys' next decade of ambition, fulfilling its vision to develop innovative solutions for the coffee industry.

Eversys' next challenge will be to launch its new range of Super

Traditional machines - Cameo and Enigma ranges, help the

markets to not only recover from a difficult time but also

to prosper.







S U P E R T R A D I T I O N



Eversys' vision has always been to create a narrative between the worlds of traditional and super automatic machines. Our mission has been to fill that gap and, in due time, to increase its relevance. In order to achieve this, we continuously create a blend, a harmonious cohesion between authentic flavours, smells, emotions and innovative technology.

Now, we would like to take this a step further by introducing design aesthetics, new technology, components and colours to create a more visually dynamic picture. It is this ambition that has enabled us to give birth to a new moniker to our machine range: Super Traditional.

Our machines offer self-calibration, which promotes consistent in-cup quality with every use. With our ETC (Extraction Time Control) system, the user has the freedom to manage and control brand standards through an intelligent algorithm, which ensures effective management over the quality, consistency and reliability of each product.

Combining this with our e'Levelling technology, which is a patented automatic powder levelling system. This enables the user to achieve a greater in-cup consistency as the automatic levelling system replicates what a barista does; tapping the portafilter after grinding fresh beans, allowing the powder to become more rendered, compact and homogeneous.



PERFECTLY



TEXTURED MILK

1 - S T E P

Designed to be simple, at the push of a button our 1-Step programme delivers frothed milk to be directly dispensed into the cup, providing the perfect textured milk to accentuate your espresso.

. 5 - S T E P

Our latest innovation, the 1.5-step milk option, causes milk to be directly dispensed into a pitcher at the same time as the espresso pours into the cup. This enables the user to then blend the two liquids and design beautiful Latte Art creations without having any prior 'skill'.

2 - S T E P

The 2-Step option works with the use of a traditional steam arm which enables you to texture milk by beverage type using a conventional wand for authentic visuals, theatre and skill.

Manual, Autostream or Everfoam.

In today's fast-paced world of technology, it has become critical for businesses to possess the ability to communicate with their assets. In order to make this possible, Eversys provides three connectivity solutions; e'Connect, e'Connect API and e'API.

E'CONNECT

Our in-house telemetry system allows you to track and process live data from anywhere in the world. This creates transparency, performance and information flow to seamlessly integrate all of the customer's key performance indicators into a pull/push reporting mechanism.

E'CONNECT API

Our e'Connect API allows you to connect your ERP with our cloud. Your ERP fetches all the relevant telemetry data via the REST API and has its own business logic on how to manage the machine estate. This lets you receive automated logistics, manage maintenance and monitor your KPI's. It's also possible to develop your own mobile app.

E'API

Our e'API allows you to connect your hardware with our machine.

This enables you to integrate your own payment extension, use our machine as module for a bigger solution such as vending machines or link your system to robotic technologies.

FUTURE PROOFED



EQUIPMENT

EFFICIENT MODULAR CONSTRUCTION



All of Eversys' equipment is built in modules, ensuring rapid access for any technical intervention which enables minimal downtime and reduced maintenance costs.

THE BREWING UNIT

Inside our machines, the brewing chamber holds up to 24g of coffee powder, which allows for a wide range of brewing recipes. In order to optimise powder flow as espresso is produced, we have implemented a reverse gravity extraction process to maximise extraction results.

THE GRINDER MODULE

All of our machines are equipped with two different grinders set up, allowing two recipes to be produced at the same time. This also provides the option to dose powder from each grinder and produce it through a singular extraction. Ceramic blades provide both precision and longevity of production.

THE MILK MODULE

Milk is frothed with steam just like a traditional barista would do, ensuring optimal texture and flavour.

THE STEAM/WATER UNIT

Our steam and water unit, which ensures consistency of the temperature and high levels of productivity, offers the same volume capacity as traditional equipment, depending on the machine type.

THE HYDRAULIC MODULE

The hydraulic module of our machines, a separate boiler used exclusively for coffee preparation, guarantees constant temperature and maximum productivity.

The design of our machines is a combination between design aesthetics and functionality, which has been achieved by enhancing the intrinsic characteristics of natural metals.

When looking at the aluminium side panels (brushed aluminium on the Enigma, casted alloy on the Cameo), they immediately give an impression of quality, durability and sophistication. The cast aluminium coffee outlets mirror the rounded shape of traditional coffee machine outlets and fit with the contemporary styling themes of the machine, the rounded rectangle for the Enigma, and the dynamic facets for the Cameo. The result of these design features results in an appealing and ergonomic shape, built with prime haptics.

DESIGNEHIL

The strength of the natural brushed stainless-steel drip tray will resist wear and tear throughout the years.

The ST models have an even more emotional design which enhances the character of the machines by featuring more sculptural and dynamic surfaces, as well as applying peculiar surface treatments, like the satin raw bodywork of the Cameo ST mixed with the piano-black inserts.

All these features and machine characteristics support the design philosophy of both Cameo and Enigma; pure, authentic and timeless.







Our Cameo was developed to be the machine that would first introduce our philosophy of Super Traditional.

Since then, we have innovated to continuously define and grow the space between super automatic and traditional machines as a leader in our field, contributing to every chapter of our story with consistency, creativity and substance.











Raw

Earth

Tempest

CAMEO/CORE





600mm (23.6 in)

e'Levelling

430 x 580 x 600 mm

C'2CT/CORE

175 espresso per hour

(23s extraction time)

170 hot water products

Two products at the same time

e'Levelling

430 x 580 x 600 mm

430 x 580 x 600 mm

C'2M/CORE

175 espresso per hour (23s extraction time)

175 cappuccino per hour

(23s extraction time)

170 hot water products

Two products at the same time Two products at the same time

Steam wand with Everfoam

C'2S/CORE

175 espresso per hour

(23s extraction time)

170 hot water products

Milk system with EMT

e'Levelling

62 kg 60 kg

C A M E O / C L A S S I C







600mm (23.6 in)

C'2CT/CLASSIC C'2S/CLASSIC C'2M/CLASSIC

	175 espresso per hour	175 espresso per hour	175 espresso per hour
\\ \frac{1}{1}	(23s extraction time)	(23s extraction time)	(23s extraction time)
	170 hot water products	170 hot water products	175 cappuccino per hour
			(23s extraction time)
			170 hot water products
	Two products at the same time	Two products at the same time	Two products at the same time
	_	Steam wand with Everfoam	Steam wand with Everfoam
	_	_	Milk system with EMT
	Hot water outlet	Hot water outlet	Hot water outlet
	e'Levelling	e'Levelling	e'Levelling
			15.6. (0.1.)
			1.5-Step (Option)
O KG	53 kg	60 kg	62 kg
100	~~g	~~ ··9	·· · · · ·

430 x 580 x 600 mm


430 x 580 x 600 mm

430 x 580 x 600 mm

v

CAMEO/ST





600mm (23.6 in)

	C'2CT/ST	C'2S/ST	C'2M/ST
	175 espresso per hour	175 espresso per hour	175 espresso per hour
(7 h)	(23s extraction time)	(23s extraction time)	(23s extraction time)
	170 hot water products	170 hot water products	175 cappuccino per hour
			(23s extraction time)
			170 hot water products
	Two products at the same time	Two products at the same time	Two products at the same time
		Steam wand with Everfoam	Steam wand with Everfoam
	_	_	Milk system with EMT
	Hot water outlet	Hot water outlet	Hot water outlet
	e'Levelling	e'Levelling	e'Levelling
	_	_	1.5-Step (Option)
KG	58 kg	65 kg	67 kg
	470 x 580 x 600 mm	470 x 580 x 600 mm	470 x 580 x 600 mm



C ' C H O C O

Designed for Cameo, our C'choco is a chocolate module that hosts two powder containers, enabling you the freedom of choice to not only use chocolate powder, but any powder you may require to make a hot beverage with.

C'FRIDGE BESIDE

Our C'fridge beside; perfectly aligned with our traditional Cameo design, preserving milk quality in the best way possible.

$\texttt{C} \ ' \ \texttt{F} \ \texttt{R} \ \texttt{I} \ \texttt{D} \ \texttt{G} \ \texttt{E} \quad \texttt{B} \ \texttt{E} \ \texttt{N} \ \texttt{E} \ \texttt{A} \ \texttt{T} \ \texttt{H}$

1 milk tank. 5 litres. Or 2 milk tanks option; 1.8 litres each. The perfect optimisation of space to keep your milk chilled at an ideal temperature.

C'CUP HEATER

Introducing our C'cup heater, the ideal companion designed for our Cameo machines. Four heated storage surfaces. Up to 180 espresso cups.

AUTHENTIC & TIMELESS

Our ambition to continuously expand the space between the worlds of super automatic and traditional machines has inspired us to take it a step further. We wanted to achieve this by introducing new aesthetics, design components and colour to create a more dynamic space in line with our own Super Traditional philosophy.

Other features include e'Levelling, the new 1.5-Step milk arm, a new brewing module, a traditional metal coffee outlet, a faster and more efficient operating system as well as larger touch screens that can host a wider variety of recipes.



34













C h a r c o a l

Tempest





600 mm (23.6 in)

E'2CT/CLASSIC E'2S/CLASSIC E'2M/CLASSIC

175 espresso per hour

(23s extraction time)

170 hot water products

175 espresso per hour

(23s extraction time)

175 espresso per hour

(23s extraction time)

175 cappuccino per hour

(23s extraction time)

170 hot water products

170 hot water products

Two products at the same time

Two products at the same time

Two products at the same time

Steam wand with Everfoam

Milk system with EMT

Hot water outlet Hot water outlet Hot water outlet

e'Levelling e'Levelling e'Levelling

— 1.5-Step (Option)

52 kg 83 kg 87 kg

280 x 713 x 600 mm 560 x 713 x 600 mm 560 x 713 x 600 mm

Steam wand with Everfoam

E'4S/CLASSIC E'4M/CLASSIC

2x 1.5-Step (Option)

560 x 713 x 600 mm



ENIGMA/CLASSIC





600 mm (23.6 in)

	350 espresso per hour	350 espresso per hour	
(/n)		(23s extraction time)	(23s extraction time)
		170 hot water products	350 cappuccino per hour
			(23s extraction time)
			170 hot water products
		Faur and unto at the care time	Faur and unto at the same time
		Four products at the same time	Four products at the same time
		Two steam wands with Everfoam	Steam wand with Everfoam
		_	Milk system with EMT
		Hot water outlet	Hot water outlet
		e'Levelling	e'Levelling

560 x 713 x 600 mm

▼







600 mm (23.6 in)

E'4S X-WIDE/ E'4M X-WIDE/ CLASSIC CLASSIC

350 espresso per hour
(23s extraction time)
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products
(23s extraction time)
170 hot water products

Four products at the same time

Four products at the same time

Two steam wands with Everfoam

Two steam wands with Everfoam

Milk system with EMT

Hot water outlet Hot water outlet

e'Levelling e'Levelling

2x1.5-Step

115 kg 119 kg

(1) 840 x 713 x 600 mm 840 x 713 x 600 mm

v





600 mm (23.6 in)

E'6S/CLASSIC E'6M/CLASSIC

Steam wand with Everfoam

525 espresso per hour 525 espresso per hour (23s extraction time) (23s extraction time) 170 hot water products 350 cappuccino per hour (23s extraction time) 170 hot water products

Six products at the same time Six products at the same time

Milk system with EMT

Hot water outlet Hot water outlet

e'Levelling e'Levelling

1.5-Step (Option)

150 kg

Two steam wands with Everfoam

840 x 713 x 600 mm 840 x 713 x 600 mm





SHOTMASTER CT SHOTMASTER S SHOTMASTER M /CLASSIC /CLASSIC /CLASSIC

	, , , , , , , , , , , , , , , , , , , ,	7 0 2 7 1 0 0 1 0	, , , , , , , , , , , , , , , , , , , ,
	350 espresso per hour	350 espresso per hour	350 espresso per hour
/n/	(23s extraction time)	(23s extraction time)	(23s extraction time)
	170 hot water products	170 hot water products	350 cappuccino per hour
			(23s extraction time)
			170 hot water products
	Four products at the same time	Four products at the same time	Four products at the same
		Two steam wands with Everfoam COMING S	Steam wand with Everfoar

_	Hot water outlet	Hot water outlet

_	2 x 1.5-Step

O KG	60 kg	91 kg	95 kg

	280 x 713 x 600 mm	560 x 713 x 600 mm	560 x 713 x 600 mm
--	--------------------	--------------------	--------------------

T E C H N I C A L D A T ,

ENIGMA/CLASSIC



840 mm (33.07 in)



600 mm (23.6 in)

SHOTMASTER S PRO/CLASSIC

SHOTMASTER M PRO/CLASSIC

Milk system with EMT

Hot water outlet

700 espresso per hour

(23s extraction time)

170 hot water products

350 cappuccino per hour

(23s extraction time)

170 hot water products

Eight products at the same time

Eight products at the same time

Two steam wands with Everfoam COMING SOON Steam wand with Everfoam

e'Levelling e'Levelling

2x1.5-Step

(R) 151 kg 155 kg

840 x 713 x 600 mm 840 x 713 x 600 mm

▼

ENIGMA/ST





600 mm (23.6 in)

E'2CT/ST

E'2S/ST

E'2M/ST

175 espresso per hour

(23s extraction time)

170 hot water products

175 espresso per hour (23s extraction time)

170 hot water products

Two products at the same time

Steam wand with Everfoam

(23s extraction time)

175 cappuccino per hour (23s extraction time)

175 espresso per hour

170 hot water products

Two products at the same time

Two products at the same time

þ) —

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

Hot water outlet

Hot water outlet

e'l evelling

e'Levelling

e'Levelling

87 kg

_

1.5-Step (Option)

O KG

52 kg

83 kg

289 x 743 x 600 mm

569 x 743 x 600 mm

569 x 743 x 600 mm

ENIGMA/ST





600 mm (23.6 in)

E'4M/ST E'4S/ST 350 espresso per hour 350 espresso per hour (23s extraction time) (23s extraction time) 170 hot water products 350 cappuccino per hour (23s extraction time) 170 hot water products Four products at the same time Four products at the same time Two steam wands with Everfoam Steam wand with Everfoam Milk system with EMT Hot water outlet Hot water outlet e'Levelling e'Levelling 2x 1.5-Step (Option)

94 kg

569 x 743 x 600 mm

569 x 743 x 600 mm

ENIGMA /ST







600 mm (23.6 in)

E'4S X-WIDE E'4M X-WIDE /ST /ST

350 espresso per hour
(23s extraction time)
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products
(23s extraction time)
170 hot water products

Four products at the same time
Four products at the same time

Two steam wands with Everfoam

Two steam wands with Everfoam

Milk system with EMT

Hot water outlet Hot water outlet

e'Levelling e'Levelling

115 kg 119 kg

849 x 743 x 600 mm 849 x 743 x 600 mm

r (

ENIGMA/ST



849 mm (33.42 in)



600 mm (23.6 in)

E'6S/ST E'6M/ST

	525 espresso per hour	525 espresso per hour
(1/h)	(23s extraction time)	(23s extraction time)
	170 hot water products	350 cappuccino per hour
		(23s extraction time)
		170 hot water products
	Six products at the same time	Six products at the same time
	Two steam wands with Everfoam	Steam wand with Everfoam

Milk system with EMT

Hot water outlet	Hot water outlet
e'Levelling	e'Levelling

1.5-Step (Option

142 kg	150 kg
--------	--------

	849 x 743 x 600 mm	849 x 743 x 600 mr
(1) 849 x 743 x 600 mm	849 x 743 x 600	

ENGMA/ST





SHOTMASTER CT SHOTMASTER S SHOTMASTER M / S T / S T / S T

350 espresso per hour (23s extraction time)

170 hot water products

350 espresso per hour

(23s extraction time) (23s extraction time)

COMING SOON

170 hot water products 350 cappuccino per hour

(23s extraction time)

350 espresso per hour

170 hot water products

Four products at the same time

Four products at the same time

Four products at the same time

Two steam wand with Everfoam

Steam wand with Everfoam

Milk system with EMT

Hot water outlet

Hot water outlet

e'Levelling

e'Levelling

2 x 1.5-Step

TBD

TBD



289 x 743 x 600 mm

569 x 743 x 600 mm

569 x 743 x 600 mm

T E C H N I C A L D A

ENIGMA/ST







600 mm (23.6 in)

SHOTMASTER S SHOTMASTER M PRO/ST PRO/ST

Milk system with EMT

700 espresso per hour
(23s extraction time)
(23s extraction time)
350 cappuccino per hour
(23s extraction time)
170 hot water products
170 hot water products

Eight products at the same time

Eight products at the same time

Two steam wands with Everfoam COMING SOON

Hot water outlet Hot water outlet

e'Levelling e'Levelling

TBD TBD

849 x 743 x 600 mm 849 x 743 x 600 mm

It has been a dynamic 10 years for product innovation, global business expansion, and employee growth. In these past 10 years, we have celebrated milestones such as the opening of our North America and United Kingdom divisions, opened offices in Hong Kong, entered into a strategic partnership with De'Longhi in 2017, and most recently, opening our brand-new factory and office building in Sierre.

Having recently written a new 3-year plan, we are filled with optimism and excitement at what this next season might bring. New products, concepts, clients, territories....the future looks promising.





H E A D Q U A R T E R

R E G I O N A L O F F I C E S

EVERSYS SA

Ecoparc de Daval A 2

CH – 3960 Sierre

 ${\sf Switzerland}$

Click to email

+41 27 305 21 21

EVERSYS ASIA

16/F Tins Enterprise Center

777 Lai Chi Kok Road

Hong Kong

Click to email

+852 98672827

EVERSYS INC

545 8th Ave, Suite 540

New York

United States of America

Click to email

1-888-511-0750

EVERSYS UK & ROI

Operations Centre Unit 8, Stanley

Business Centre, Crawley

United Kingdom

Click to email

+44 20 3960 0503